CONTENTS

No. 1—MARCH

PAGE

RAKOWER, J. AND FATAL, B.—Study of Narghile Smoking in Relation to Cancer of the Lung 1

SATO, TOKURO, SUZUKI, TAEKO AND FUKUYAMA, TOMITARO.—Cigarette Smoke : Mode of Adhesion and Haemolyzing and SH-inhibiting Factors . . 7

MEYER, P. C.—The Relationship Between the Nodular Goitre and Carcinoma of the Thyroid 16

TURNER, R. C.—Radioactivity and Hardness of Drinking Waters in Relation to Cancer Mortality Rates 27

BRIDGES, J. M., HAYES, D. M. AND NELSON, M. G.—Therapy of Acute Leukaemia 46

PEYMAN, M. A.—The Effect of Malignant Disease on the Erythrocyte Sedimentation Rate 56

HULSE, E. V.—Tumours of the Skin and other Delayed Effects of External Beta Irradiation of Mice Using ^{90}Sr and ^{32}P 72

WILLIAMS, M. H. C. AND BONSER, GEORGIANA M.—Induction of Hepatomas in Rats and Mice following the Administration of Auramine 87

SCHOENTAL, REGINA AND MAGEE, P. N.—Induction of Squamous Carcinoma of the Lung and of the Stomach and Oesophagus by Diazomethane and *N*-Methyl-*N*-Nitroso-Urethane, Respectively 92

HOWELL, J. S.—Skin Tumours in the Rat Produced by 9,10-Dimethyl-1,2-Benzanthracene and Methylcholanthrene 101

SEN GUPTA, K. P.—Hyperplasia of Urinary Tract Epithelium Induced by Continuous Administration of Sulphonamide Derivatives . . . 110

WOODRUFF, M. F. A. AND SYMES, M. O.—The Significance of Splenomegaly in Tumour-Bearing Mice 120

BUTTLE, G. A. H., EPERON, JEAN, KAMESWARAN, LALITHA AND WEST, G. B.—Histamine Formation and Tumour Growth 131

DE, P. AND CHATTERJEE, R.—Patterns of Alkaline Phosphatase Activity in the Nuclei of Normal and Malignant Cells during the Phases of Growth and Differentiation 141

STONE, D.—The use of Amitotic Cells for the Study of Factors Involved in Mitosis : The Possible Involvement of DNA, RNA and Unsaturated Fatty Acids 145

MEEK, E. S.—Quantitative Cytochemical Analysis of Protein and Deoxyribonucleic Acid in Ascites Tumour Cells 157

GALBRAITH, W., MAYHEW, E. AND ROE, E. M. F.—Mode of Inhibitory Action of Tragacanth Powder on the Growth of the Landschütz Ascites Tumour . 163

MALEJKA, DANUTA.—Distribution of Sulfur-35 Labeled Sulfonic Acid Derivatives of Fluorene in Tumour-Bearing and Tumour-Free Rats 170

SURVEY OF PAPERS i

No. 2—JUNE

PAGE

HOLLAND, W. W., DOLL, R. AND CARTER, C. O.—The Mortality from Leukaemia and Other Cancers Among Patients with Down's Syndrome (Mongols) and Among their Parents 177

HANDLEY, R. S. AND THACKRAY, A. C.—Adenoma of Nipple 187

CLAIN, A.—Trends in the Diagnosis of Carcinoma of the Breast 195

TURNER, R. C.—The Ingestion of Radium 226 in Food and Water in Great Britain 200

JOLLES, B.—Progesterone in the Treatment of Advanced Malignant Tumours of Breast, Ovary and Uterus 209

DONIACH, I. AND WILLIAMS, E. D.—The Development of Thyroid and Pituitary Tumours in the Rat Two Years after Partial Thyroidectomy 222

BIANCIFIORI, C., BONSER, G. M. AND CASCHERA, F.—Chemically Induced Mammary Tumours following Unilateral Excision of the Nipples in Pseudo-Pregnant and Lactating Breeding BALB/c Mice 232

VASILIEV, JU. M. AND CHEUNG, AU BOW.—Evolution of Epithelial Proliferation induced by Scarlet Red in the Skin of Normal and Carcinogen Treated Rabbits 238

POUND, A. W.—The Initiation of Tumour Formation by Urethane in the Mouse . 246

ROE, F. J. C.—Effect of Massive Doses of Riboflavin, and Other Vitamins of the B Group, on Skin Carcinogenesis in Mice 252

CAMPBELL, J. G.—A Retro-Ocular Teratoma Containing Pinealomatous Tissue in a Young Chicken 258

BIELSCHOWSKY, F., BIELSCHOWSKY, MARIANNE AND FLETCHER, E. K.—Investigations on the Role of Thyroxine in the Development of Hepatomas in Hypophysectomized Rats and Pituitary Dwarf Mice 267

BALDWIN, R. W., CUNNINGHAM, G. J., PARTRIDGE, M. W. AND VIPOND, H. J.—Studies on the Carcinogenicity of Tricycloquinazoline. The effect of Substitution in the Peripheral Carbocyclic Rings on Carcinogenic Activity . 275

BOYLAND, E., DUKES, C. E., GROVER, P. L. AND MITCHLEY, B. C. V.—The Induction of Renal Tumours by Feeding Lead Acetate to Rats 283

VAN ESCH, G. J., VAN GENDEREN, H. AND VINK, H. H.—The Induction of Renal Tumours by Feeding of Basic Lead Acetate to Rats 289

BURGESS, E. ANN AND SYLVÉN, B.—Changes in Glucose and Lactate Content of Ascites Fluid and Blood Plasma During Growth and Decay of the ELD Ascites Tumour 298

GOLDACRE, R. J. AND SYLVÉN, B.—On the Access of Blood-Borne Dyes to Various Tumour Regions 306

HARTVEIT, F.—Evidence of Induced Immunity to Ehrlich's Ascites Carcinoma Brought About Through the Combination of Freund's Adjuvant with Living Tumour 323

HARTVIET, F.—Further Observations on the Results of Combining Freund's Adjuvant with Living Ehrlich Ascites Carcinoma 331

WOODHOUSE, D. L.—Amino Acids of Mouse Skin During Treatment with Carcinogenic Hydrocarbons 340

BOYLAND, E. AND GREEN B.—The Interaction of Polycyclic Hydrocarbons and Purines 347

SIMPSON, SHIRLEY M. AND BELCHER, E. H.—Further Studies of Red Cell Destruction in Rats Bearing a Transplantable Tumour 361

DEWHURST, F.—The Hydroxylation of Fluorene in the Rat and the Rabbit . 371

SURVEY OF PAPERS i

No. 3—SEPTEMBER

PAGE

BURKITT, DENIS.—A " Tumour Safari " in East and Central Africa 379

DEELEY, T. J.—A Clinical Trial of Synkavit in the Treatment of Carcinoma of the Bronchus 387

MARKS, R. AND GOODWIN, A. M.—Comparative Evaluation of the Acridine Orange Fluorescence and Papanicolaou Methods for Cytodiagnosis of Cancer . 390

PEGG, D. E.—A Quantitative Study of Bone Marrow Grafting : Implications for Human Bone Marrow Infusion 400

PEGG, D. E., HUMBLE, J. G. AND NEWTON, K. A.—The Clinical Application of Bone Marrow Grafting 417

STOLL, B. A.—A Clinical Trial of Tri-Iodothyronine as a Hormone Potentiator in Advanced Breast Cancer 436

OWEN, L. N.—Treatment of 30 Cases of Spontaneous Tumours in Dogs with Triethylene Glycol Diglycidyl Ether 441

BLACKLOCK, J. W. S. AND BURGAN, J. G.—The Carcinogenic Effects of Various Fractions of Cigarette Condensate 453

CHIPPERFIELD, BARBARA AND MARRIAN, D. H.—Studies of Potential Radiosensitizing Agents. The Effect of 2-Methyl-1 : 4-Naphthohydroquinone Diphosphate (Synkavit) on the level of Adenosine Triphosphate in Mouse Ascites Tumour 460

BARTON, A. A.—Tumours of Nerve : An Electron Microscope Study 466

HEATH, J. C. AND DANIEL, M. R.—The Production of Malignant Tumours by Cobalt in the Rat : Intrathoracic Tumours 473

KASLARIS, E. AND JULL, J. W.—The Induction of Tumours following the Direct Implantation of Four Chemical Carcinogens into the Uterus of Mice and the Effect of Strain and Hormones Thereon 479

WOODRUFF, M. F. A. AND SYMES, M. O.—Evidence of Loss of Tumour-specific Antigen on Repeatedly Transplanting a Tumour in the Strain of Origin . 484

BOYLAND, E. AND JONDORF, W. R.—The Stimulation of Ascorbic Acid Excretion in Rats 489

ARGUS, MARY F., HUDSON, MARIE T., SEEPE, TREVA L., KANE, JUDITH F. AND RAY, FRANCIS E.—Effect of Rapid Tissue Growth on the Uptake of Fluorene-2,7-Di-(Sulfonamido-2-Naphthalene)-S^{35} by the Liver and Spleen of Rats and Hamsters 494

ROE, F. J. C.—Effect of Phenanthrene on Tumour-initiation by 3,4-Benzopyrene 503

BOYLAND, E. AND GREEN, B.—The Interaction of Polycyclic Hydrocarbons and Nucleic Acids 507

VAN DEN BRENK, H. A. S., ELLIOTT, KATHLEEN AND HUTCHINGS, HILARY—Effect of Single and Fractionated Doses of X-rays on Radiocurability of Solid Ehrlich Tumour and Tissue Reactions *In Vivo*, for Different Oxygen Tensions 518

COWAN, W. K.—Blood Group Antigens on Human Gastrointestinal Carcinoma Cells 535

KOTNIS, L. B., NARURKAR, M. V. AND SAHASRABUDHE, M. B.—Immediate Effects of Carcinogens and Related Compounds on Pyridine Nucleotides . . 541

KOTNIS, L. B., NARURKAR, M. V. AND SAHASRABUDHE, M. B.—Role of Pyridine Nucleotides and Hexose Monophosphate Pathway in Butter Yellow (DAB) Carcinogenesis 550

HARTVEIT, F.—Cellular Injury in Untreated Ehrlich's Ascites Carcinoma . . 556

CALCUTT, G. AND DOXEY, D.—The Apparent Glutathione Content of Some Normal Tissues and some Animal Tumours 562

SEPTEMBER—*cont.*

PAGE

HAIJE, W. G. AND VAN DER WERF-MESSING, B. H. P.—Some Investigations into the Origin of the β-Glucuronidase Activity in the Urine of Patients with Cancer of the Bladder 570

BOYD, D. H. A., CLAPP, BRIGID AND FINNEGAN, MAUREEN.—The Intravenous Glucose Tolerance Test in Malignant Disease 577

SURVEY OF PAPERS i

No. 4—DECEMBER

MUIR, C. S.—Cancer of the Buccal Cavity and Nasopharynx in Singapore . . 583

STOCKS, P.—On the Death Rates from Cancer of the Stomach and Respiratory Diseases in 1949–53 among coal miners and other male residents in counties of England and Wales 592

HENNEFORD, J., BASERGA, R. AND WARTMAN, W. B.—The Time of Appearance of Metastases after Surgical Removal of the Primary Tumor 599

BURN, J. I., WATNE, A. L. AND MOORE, G. E.—The Role of the Thoracic Duct Lymph in Cancer Dissemination 608

WAKONIG-VAARTAJA, RESA.—A Human Tumour with Identifiable Cells as Evidence for the Mutation Theory 616

SUTTON, P. M.—Parenchymal Cell Damage and Bile Duct Activity in the Precancerous Liver 619

CARR, J. G.—Observations on the Haemorrhagic Disease Induced by Fowl Tumour Viruses 626

GLUCKSMANN, A. AND CHERRY, CORA P.—The Effect of Castration and of Additional Hormonal Treatments on the Induction of Cervical and Vulval Tumours in Mice 634

HARAN-GHERA, N., TRAININ, N., FIORE-DONATI, L. AND BERENBLUM, I.—A Possible Two-Stage Mechanism in Rhabdomyosarcoma Induction in Rats . 653

FALCONER, D. S. AND BLOOM, JOYCE L.—A Genetic Study of Induced Lung-Tumours in Mice 665

DE BENEDICTIS, G., MAIORANO, G., CHIECO-BIANCHI, L. AND FIORE-DONATI, L.—Lung Carcinogenesis by Urethane in Newborn, Suckling, and Adult Swiss Mice. 686

POUND, A. W. AND BELL, J. R.—The Influence of Croton Oil Stimulation on Tumour Initiation by Urethane in Mice. 690

FRANKS, L. M. AND CHESTERMAN, F. C.—The Pathology of Tumours and other Lesions of the Guinea-Pig Lung 696

PEACOCK, P. M.—A Short Term Test for Carcinogenicity 701

WOODRUFF, M. F. A. AND SYMES, M. O.—The Use of Immunologically Competent Cells in the Treatment of Cancer 707

HIEGER, I.—Cholesterol as Carcinogen 716

BIANCIFIORI, C. AND CASCHERA, F.—The Relation Between Pseudopregnancy and the Chemical Induction by Four Carcinogens of Mammary and Ovarian Tumours in BALB/c Mice 722

BOYLAND, E. AND SYDNOR, K. L.—The Induction of Mammary Cancer in Rats . 731

BALDWIN, R. W., PALMER, H. C. AND PARTRIDGE, M. W.—Studies on Tricycloquinazoline Carcinogenesis: Interaction of Carcinogen with Skin Components 740

BALDWIN, R. W.—Studies on Rat Liver Cell Antigens During the Early Stages of Azo Dye Carcinogenesis 749

DECEMBER—*cont.*

PAGE

DIJKSTRA, J. AND LOUW, T. B.—Protein-Bound Dyes in the Serum and Liver of Rats Fed Aminoazo Dyes 757

LAPIS, K. AND DAVIES, A. J. S.—Attempted Tumour Therapy Complicated by a Viroid Associate of the Tumour 763

DAVIES, A. J. S., CROSS, A. M. AND LAPIS, K.—Anaemia Associated with the NK/Lymphoma in Mice 770

TOMBS, M. P., BURSTON, D. AND MACLAGAN, N. F.—Some Observations on Human Tissues and Tumour Proteins 782

SEARLE, C. E. and WOODHOUSE, D. L.—Observations on the Polarographic Characteristics and Concentrations of Protein and Sialic Acid in the Serum of Rats After Intraperitoneal Injections of Polycyclic Hydrocarbons 794

CALCUTT, G. AND DOXEY, D.—The Effects of Tumour Initiating Agents on Mouse Skin Sulphydryl Levels 806

LANCASTER, H. O.—The Epidemiology of Skin Cancer in Queensland : A Methodological Note 811

Index to Authors 813

Survey of Papers i

INDEX TO AUTHORS

ARGUS, M. F., HUDSON, M. T., SEEPE, T. L., KANE, J. F. and RAY, F. E., effect of rapid tissue growth on the uptake of fluorene-2,7-di-(sulfonamido-2-naphthalene)-S^{35} by the liver and spleen of rats and hamsters, 494

BALDWIN, R. W., studies on rat liver cell antigens during the early stages of azo dye carcinogenesis, 749

———, CUNNINGHAM, G. J., PARTRIDGE, M. W. and VIPOND, H. J., studies on the carcinogenicity of tricycloquinazoline. The effect of substitution in the peripheral carbocyclic rings on carcinogenic activity, 275

———, PALMER, H. C. and PARTRIDGE, M. W., studies on tricycloquinazoline carcinogenesis: Interaction of carcinogen with skin components, 740

BARTON, A. A., tumours of nerve: An electron microscope study, 466

BASERGA, R., see *Henneford, J.*

BELCHER, E. H., see *Simpson, S. M.*

BELL, J. R., see *Pound, A. W.*

DE BENEDICTIS, G., MAIORANO, G., CHIECO-BIANCHI, L. and FIORE-DONATI, L., Lung carcinogenesis by urethane in newborn, suckling and adult Swiss mice, 686

BERENBLUM, I., see *Haran-Ghera, N.*

BIANCIFIORI, C., BONSER, G. M. and CASCHERA, F., chemically induced mammary tumours following unilateral excision of the nipples in pseudopregnant and lactating breeding BALB/c mice, 232.

——— and CASCHERA, F., the relation between pseudopregnancy and the chemical induction by four carcinogens of mammary and ovarian tumours in BALB/c mice, 722

BIELSCHOWSKY, F., BIELSCHOWSKY, M. and FLETCHER, E. K., investigations on the role of thyroxine in the development of hepatomas in hypophysectomized rats and pituitary dwarf mice, 267

BIELSCHOWSKY, M., see *Bielschowsky, F.*

BLACKLOCK, J. W. S. and BURGAN, J. G., the carcinogenic effects of various fractions of cigarette condensate, 453

BLOOM, J. L., see *Falconer, D. S.*

BONSER, G. M., see *Biancifiori, C.*

BONSER, G. M., see *Williams, M. H. C.*

BOYLAND, E., DUKES, C. E., GROVER, P. L. and MITCHLEY, B. C. V., the induction of renal tumours by feeding lead acetate to rats, 283

——— and GREEN, B., the interaction of polycyclic hydrocarbons and purines, 347

——— and GREEN, B., the interaction of polycyclic hydrocarbons and nucleic acids, 507

——— and JONDORF, W. R., the stimulation of ascorbic acid excretion in rats, 489

——— and SYDNOR, K. L., the induction of mammary cancer in rats, 731

BOYD, D. H. A., CLAPP, B. and FINNEGAN, M., the intravenous glucose tolerance test in malignant disease, 577.

VAN DEN BRENK, H. A. S., ELLIOTT, K. and HUTCHINGS, H., effect of single and fractionated doses of X-rays on radiocurability of solid Ehrlich tumour and tissue reactions *in vivo*, for different oxygen tensions, 518

BRIDGES, J. M., HAYES, D. M. and NELSON, M. G., therapy of acute leukaemia, 46

BURGAN, J. G., see *Blacklock, J. W. S.*

BURGESS, E. A. and SYLVÉN, B., changes in glucose and lactate content of ascites fluid and blood plasma during growth and decay of the ELD ascites tumour, 298

BURKITT, D., a " tumour safari " in East and Central Africa, 379

BURN, J. I., WATNE, A. L. and MOORE, G. E., the role of the thoracic duct lymph in cancer dissemination, 608

BURSTON, D., see *Tombs, M. P.*

BUTTLE, G. A. H., EPERON, J., KAMESWARAN, L. and WEST, G. B., histamine formation and tumour growth, 131

CALCUTT, G. and DOXEY, D., the apparent glutathione content of some normal tissues and some animal tumours, 562

——— ——— the effects of tumour initiating agents on mouse skin sulphydryl levels, 806

CAMPBELL, J. G., a retro-ocular teratoma containing pinealomatous tissue in a young chicken, 258.

CARR, J. G., observations on the haemorrhagic disease induced by fowl tumour viruses, 626
CARTER, C. O., see *Holland, W. W.*
CASCHERA, F., see *Biancifiori, C.*
CHATTERJEE, R., see *De, P.*
CHERRY, C. P., see *Glucksmann, A.*
CHESTERMAN, F. C., see *Franks, L. M.*
CHEUNG, A. B., see *Vasiliev, J. M.*
CHIECO-BIANCHI, L., see *De Benedictis, G.*
CHIPPERFIELD, B. and MARRIAN, D. H., studies of potential radiosensitizing agents. The effect of 2-methyl-1 : 4-naphthohydroquinone diphosphate (Synkavit) on the level of adenosine triphosphate in mouse ascites tumour, 460
CLAIN, A., trends in the diagnosis of carcinoma of the breast, 195
CLAPP, B., see *Boyd, D. H. A.*
COWAN, W. K., blood group antigens on human gastrointestinal carcinoma cells, 535
CROSS, A. M., see *Davies, A. J. S.*
CUNNINGHAM, G. J., see *Baldwin, R. W.*

DANIEL, M. R., see *Heath, J. C.*
DAVIES, A. J. S., CROSS, A. M. and LAPIS, K., anaemia associated with the NK/lymphoma in mice, 770
———, see *Lapis, K.*
DE, P. and CHATTERJEE, R., patterns of alkaline phosphatase activity in the nuclei of normal and malignant cells during the phases of growth and differentiation, 141.
DEELEY, T. J., a clinical trial of Synkavit in the treatment of carcinoma of the bronchus, 387.
DEWHURST, F., the hydroxylation of fluorene in the rat and the rabbit, 371
DIJKSTRA, J. and LOUW, T. B., protein-bound dyes in the serum and liver of rats fed aminoazo dyes, 757
DOLL, R., see *Holland, W. W.*
DONIACH, I. and WILLIAMS, E. D., the development of thyroid and pituitary tumours in the rat two years after partial thyroidectomy, 222
DOXEY, D., see *Calcutt, G.*
DUKES, C. E., see *Boyland, E.*

ELLIOTT, K., see *van den Brenk, H. A. S.*
EPERON, J., see *Buttle, G. A. H.*
VAN ESCH, G. J., VAN GENDEREN, H. and VINK, H. H., the induction of renal tumours by feeding of basic lead acetate to rats, 289

FALCONER, D. S. and BLOOM, J. L., a genetic study of induced lung-tumours in mice, 665
FATAL, B., see *Rakower, J.*
FINNEGAN, M., see *Boyd, D. H. A.*
FIORE-DONATI, L., see *De Benedictis, G.*
———, see *Haran-Ghera, N.*
FLETCHER, E. K., see *Bielschowsky, F.*
FRANKS, L. M. and CHESTERMAN, F. C., the pathology of tumours and other lesions of the guinea-pig lung, 696
FUKUYAMA, T., see *Sato, T.*

GALBRAITH, W., MAYHEW, E. and ROE, E. M. F., mode of inhibitory action of tragacanth powder on the growth of the Landschütz ascites tumour, 163
VAN GENDEREN, H., see *van Esch, G. J.*
GLUCKSMANN, A. and CHERRY, C. P., the effect of castration and of additional hormonal treatments on the induction of cervical and vulval tumours in mice, 634
GOLDACRE, R. J. and SYLVÉN, B., on the access of blood-borne dyes to various tumour regions, 306
GOODWIN, A. M., see *Marks, R.*
GREEN, B., see *Boyland, E.*
GROVER, P. L., see *Boyland, E.*

HAIJE, W. G. and VAN DER WERF-MESSING, B. H. P., some investigations into the origin of the β-glycuronidase activity in the urine of patients with cancer of the bladder, 570
HANDLEY, R. S. and THACKRAY, A. C., adenoma of nipple, 187
HARAN-GHERA, N., TRAININ, N., FIORE-DONATI, L. and BERENBLUM, I., a possible two-stage mechanism in rhabdomyosarcoma induction in rats, 653
HARTVEIT, F., evidence of induced immunity to Ehrlich's ascites carcinoma brought about through the combination of Freund's adjuvant with living tumour, 323
———, further observations on the results of combining Freund's adjuvant with living Ehrlich ascites carcinoma, 331
———, cellular injury in untreated Ehrlich's ascites carcinoma, 556
HAYES, D. M., see *Bridges, J. M.*
HEATH, J. C. and DANIEL, M. R., the production of malignant tumours by cobalt in the rat : Intrathoracic tumours, 473.
HENNEFORD, J., BASERGA, R. and WARTMAN, W. B., the time of appearance of metastases after surgical removal of the primary tumor, 599

HIEGER, I., cholesterol as carcinogen. I. Sarcoma induction by cholesterol in a sensitive strain of mice. II. Croton oil a complete carcinogen, 716
HOLLAND, W. W., DOLL, R. and CARTER, C. O., the mortality from leukaemia and other cancers among patients with Down's syndrome (mongols) and among their parents, 177
HOWELL, J. S., skin tumours in the rat produced by 9,10-dimethyl-1,2-benzanthracene and methylcholanthrene, 101
HUDSON, M. T., see *Argus, M. F.*
HULSE, E. V. tumours of the skin and other delayed effects of external beta irradiation of mice using ^{90}Sr and ^{32}P, 72
HUMBLE, J. G., see *Pegg, D. E.*
HUTCHINGS, H., see *van den Brenk, H. A. S.*

JOLLES, B., progesterone in the treatment of advanced malignant tumours of breast, ovary and uterus, 209.
JONDORF, W. R., see *Boyland, E.*
JULL, J. W., see *Kaslaris, E.*

KAMESWARAN, L., see *Buttle, G. A. H.*
KANE, J. F., see *Argus, M. F.*
KASLARIS, E. and JULL, J. W., the induction of tumours following the direct implantation of four chemical carcinogens into the uterus of mice and the effect of strain and hormones thereon, 479
KOTNIS, L. B., NARURKAR, M. V. and SAHASRABUDHE, M. B., immediate effects of carcinogens and related compounds on pyridine nucleotides, 541
——— ——— ———, role of pyridine nucleotides and hexose monophosphate pathway in butter yellow (DAB) carcinogenesis, 550.

LANCASTER, H. O., the epidemiology of skin cancer in Queensland : A methodological note, 811
LAPIS, K. and DAVIES, A. J. S., attempted tumour therapy complicated by a viroid associate of the tumour, 763
———, see *Davies, A. J. S.*
LOUW, T. B., see *Dijkstra, J.*

MACLAGAN, N. F., see *Tombs, M. P.*
MAGEE, P. N., see *Schoental, R.*
MAIORANO, G., see *De Benedictis, G.*
MALEJKA, D., distribution of sulfur-35 labeled sulfonic acid derivatives of fluorene in tumour-bearing and tumour-free rats, 170
MARKS, R. and GOODWIN, A. M., comparative evaluation of the acridine orange fluorescence and Papanicolaou methods for cytodiagnosis of cancer, 390
MARRIAN, D. H., see *Chipperfield, B.*
MAYHEW, E., see *Galbraith, W.*
MEEK, E. S., quantitative cytochemical analysis of protein and deoxyribonucleic acid in ascites tumour cells, 157.
MEYER, P. C., the relationship between the nodular goitre and carcinoma of the thyroid, 16.
MITCHLEY, B. C. V., see *Boyland, E.*
MOORE, G. E., see *Burn, J. I.*
MUIR, C. S., cancer of the buccal cavity and nasopharynx in Singapore, 583

NARURKAR, M. V., see *Kotnis, L. B.*
NELSON, M. G., see *Bridges, J. M.*
NEWTON, K. A., see *Pegg, D. E.*

OWEN, L. N., treatment of 30 cases of spontaneous tumours in dogs with triethylene glycol diglycidyl ether, 441

PARTRIDGE, M. W., see *Baldwin, R. W.*
PALMER, H. C., see *Baldwin, R. W.*
PEACOCK, P. M., a short term test for carcinogenicity : The effects of certain closely-related polycyclic aromatic hydrocarbons on embryo tissue homografts in BALB/c strain mice, 701
PEGG, D. E., a quantitative study of bone marrow grafting : Implications for human bone marrow infusion, 400
———, HUMBLE, J. G. and NEWTON, K. A., the clinical application of bone marrow grafting, 417
PEYMAN, M. A., the effect of malignant disease on the erythrocyte sedimentation rate, 56
POUND, A. W., the initiation of tumour formation by urethane in the mouse, 246
——— and BELL, J. R., the influence of croton oil stimulation on tumour initiation by urethane in mice, 690

RAKOWER, J. and FATAL, B., study of narghile smoking in relation to cancer of the lung, 1
RAY, F. E., see *Argus, M. F.*
ROE, E. M. F., see *Galbraith, W.*
ROE, F. J. C., effect of massive doses of riboflavin, and other vitamins of the B group, on skin carcinogenesis in mice, 252
———, effect of phenanthrene on tumour-initiation by 3,4-benzopyrene, 503

SATO, T., SUZUKI, T. and FUKUYAMA, T., cigarette smoke : Mode of adhesion and haemolyzing and SH-inhibiting factors, 7
SAHASRABUDHE, M. B., see *Kotnis, L. B.*
SCHOENTAL, R. and MAGEE, P. N., induction of squamous carcinoma of the lung and of the stomach and oesophagus by diazomethane and *N*-methyl-*N*-nitrosourethane, respectively, 92
SEARLE, C. E. and WOODHOUSE, D. L., observations on the polarographic characteristics and concentrations of protein and sialic acid in the serum of rats after intraperitoneal injections of polycyclic hydrocarbons, 794
SEEPE, T. L., see *Argus, M. F.*
SEN GUPTA, K. P., hyperplasia of urinary tract epithelium induced by continuous administration of sulphonamide derivatives, 110.
SIMPSON, S. M. and BELCHER, E. H., further studies of red cell destruction in rats bearing a transplantable tumour, 361
STOCKS, P., the death rates from cancer of the stomach and respiratory diseases in 1949–53 among coal miners and other male residents in counties of England and Wales, 592
STOLL, B. A., a clinical trial of tri-iodothyronine as a hormone potentiator in advanced breast cancer, 436.
STONE, D., the use of amitotic cells for the study of factors involved in mitosis : The possible involvement of DNA, RNA and unsaturated fatty acids, 145
SUTTON, P. M., parenchymal cell damage and bile duct activity in the precancerous liver, 619
SUZUKI, T., see *Sato T.*
SYDNOR, K. L., see *Boyland, E.*
SYLVÉN, B., see *Burgess, E. A.*
———, see *Goldacre, R. J.*
SYMES, M. O., see *Woodruff, M. F. A.*

THACKRAY, A. C., see *Handley, R. S.*
TOMBS, M. P., BURSTON, D. and MACLAGAN, N. F., some observations on human tissues and tumour proteins, 782
TRAININ, N., see *Haran-Ghera, N.*
TURNER, R. C., radioactivity and hardness of drinking waters in relation to cancer mortality rates, 27
———, the ingestion of radium 226 in food and water in Great Britain, 200

VASILIEV, J. M. and CHEUNG, A. B., evolution of epithelial proliferation induced by scarlet red in the skin of normal and carcinogen treated rabbits, 238
VINK, H. H., see *van Esch, G. J.*
VIPOND, H. ., see *Baldwin, R. W.*

WAKONIG-VAARTAJA, R., a human tumour with identifiable cells as evidence for the mutation theory, 616
WARTMAN, W. B., see *Henneford, J.*
WATNE, A. L., see *Burn, J. I.*
VAN DER WERF-MESSING, B. H. P., see *Haije, W. G.*
WEST, G. B., see *Buttle, G. A. H.*
WILLIAMS, E. D., see *Doniach, I.*
WILLIAMS, M. H. C. and BONSER, G. M., induction of hepatomas in rats and mice following the administration of auramine, 87
WOODHOUSE, D. L., amino acids of mouse skin during treatment with carcinogenic hydrocarbons, 340
———, see *Searle, C. E.*
WOODRUFF, M. F. A. and SYMES, M. O., the significance of splenomegaly in tumour-bearing mice, 120.
——— ———, evidence of loss of tumour-specific antigen on repeatedly transplanting a tumour in the strain of origin, 484
——— ———, the use of immunologically competent cells in the treatment of cancer : Experiments with a transplantable mouse tumour, 707